


Italian Literature Watch



Febbraio 2009

Journal of Thoracic and Cardiovascular Surgery



Management and decision-making strategy for systolic anterior motion after mitral valve repair.

Crescenzi G, Landoni G, Zangrillo A, Guarracino F, Rosica C, La Canna G, Alfieri O.


J Thorac Cardiovasc Surg 2009;137:320-325.

Noninvasive positive-pressure ventilation for extubation failure after cardiac surgery: Pilot safety evaluation.

De Santo LS, Bancone C, Santarpino G, Romano G, Della Corte A, Vicchio M, De Pietro A, Galdieri N, Cotrufo M.

J Thorac Cardiovasc Surg 2009;137:342-346.

Annals of Thoracic Surgery



Surgical ventricular restoration: left ventricular shape influence on cardiac function, clinical status, and survival.

Di Donato M, Castelvechchio S, Kukulski T, Bussadori C, Giacomazzi F, Frigiola A, Menicanti L.

Ann Thorac Surg. 2009;87: 455-461.

Preoperative intraaortic balloon pumping improves outcomes for high-risk patients in routine coronary artery bypass graft surgery.

Santarpino G, Onorati F, Rubino AS, Abdalla K, Caroleo S, Santangelo E, Renzulli A.

Ann Thorac Surg 2009;87: 481-488.

[Risk stratification after coronary artery bypass surgery by a point-of-care test of platelet function.](#)

Bevilacqua S, Alkodami AA, Volpi E, Cerillo AG, Berti S, Glauber M, Gianetti J.

Ann Thorac Surg 2009;87: 496-502.

European Journal of Cardiothoracic Surgery




[Alternatives to transplantation in the surgical therapy for heart failure.](#)

Nicolini F, Gherli T.

Eur J Cardiothorac Surg 2009;35:214-228.

Interactive Cardiovascular and Thoracic Surgery



[Aortic valve-sparing root replacement from inside the aorta using three Dacron skirts preserving the native Valsalva sinuses geometry and stabilizing the annulus.](#)

Ruvolo G, Fattouch K

Interact CardioVasc Thorac Surg 2009;8:179-181

American Journal of Cardiology



[Prenatal Diagnosis and Outcome of Isolated Vascular Rings](#)

Tuo G, Volpe P, Bava GL, Bondanza S, De Robertis V, Pungiglione G, Marasini M

Am J Cardiol 2009 Feb 1;103(3):416-9

[http://www.ncbi.nlm.nih.gov/sites/entrez?Db=pubmed&Cmd=ShowDetailView&TermToSearch=19166700&log\\$=activity](http://www.ncbi.nlm.nih.gov/sites/entrez?Db=pubmed&Cmd=ShowDetailView&TermToSearch=19166700&log$=activity)

Critical Care Medicine



[Tight glyceimic control may favor fibrinolysis in patients with sepsis*](#)

Savioli M, Cugno M, Polli F, Taccone P, Bellani G, Spanu P, Pesenti A, Iapichino G, Gattinoni L.

Crit Care Med. 2009;37(2):424-431.